



Roughness-induced non-wetting

To cite this article: S. Herminghaus 2007 EPL 79 59901

View the article online for updates and enhancements.

You may also like

- <u>Addendum: Holographic interpretation of</u> <u>Shannon entropy of coherence of quantum</u> <u>pure states</u> Eiji Konishi
- Erratum: Dependence of the black-body force on spacetime geometry and topology C. R. Muniz, G. Maciel, M. S. Cunha et al.
- <u>A generalized theory of DNA looping and cyclization</u> D. P. Wilson, A. V. Tkachenko and J.-C.
- D. P. Wilson, A. V. Tkachenko and J.-C. Meiners



EPL, **79** (2007) 59901 doi: 10.1209/0295-5075/79/59901

Roughness-induced non-wetting

S. Herminghaus

Max-Planck-Institute for Dynamics and Self-Organization - Bunsenstr. 10, 37073 Göttingen, Germany

Original article: *Europhysics Letters (EPL)*, **52** (2000) 165. PACS **99.10.Cd** – Errata Copyright © EPLA, 2007

In the original article the author has remarked a minor mistake on page 169, which changes the result displayed in eq. (6), but does not affect any of the conclusions of the paper. In line 13, the exponent n is to be changed to n/2. Consequently, in all following expressions $\ln b$ is to be multiplied by 2 wherever it appears. Equation (6) thus reads

$$\rho=1+\frac{\ln(1-w)}{2\ln b}.$$

www.epljournal.org