



ERRATUM

The infrared conductivity of graphene on top of silicon oxide

To cite this article: N. M. R. Peres *et al* 2009 *EPL* **86** 49901

View the [article online](#) for updates and enhancements.

You may also like

- [Charged relativistic fluids and non-linear electrodynamics](#)
T. Dereli and R. W. Tucker
- [A comprehensive Monte Carlo calculation of dopant contrast in secondary-electron imaging](#)
Maurizio Dapor, B. J. Inkson, C. Rodenburg et al.
- [Erratum: Biexponential decay and ultralong coherence of a qubit](#)
J. Flakowski, M. Osmanov, D. Taj et al.

Erratum

The infrared conductivity of graphene on top of silicon oxide

N. M. R. PERES^{1(a)}, T. STAUBER¹ and A. H. CASTRO NETO²¹ *Centro de Física e Departamento de Física, Universidade do Minho - P-4710-057, Braga, Portugal, EU*² *Department of Physics, Boston University - 590 Commonwealth Avenue, Boston, MA 02215, USA*Original article: *Europhysics Letters (EPL)*, **84** (2008) 38002.

PACS 99.10.Cd – Errata

Copyright © EPLA, 2009

In fig. 5 a wiggle in the optical conductivity curve is seen at twice the chemical potential. This effect is due to the presence of the phonons, but would not have been noticed if the real part of the phonons' self-energy had been included in the calculation. This has been shown to be true in another publication by two of the present authors [1]. In conclusion, the aforementioned wiggle is not a physical effect but an artifact of the used approximation.

* * *

We thank J. CARBOTTE and E. NICOLS for pointing out the issue to us.

REFERENCES

- [1] STAUBER T. and PERES N. M. R., *J. Phys.: Condens. Matter*, **20** (2008) 055002.

^(a)E-mail: peres@fisica.uminho.pt